

AUTHOR INDEX

Abouhilale, S. 55
Auzanneau, F.-I. 13
Azuma, I. 47

Baer, H.H. 129
Ban, C. 25
Barbalat-Rey, F. 65
Barili, P.L. c5
Beier, B. 321
Bensen, D. c9
Bernardinelli, G. 65
Berti, G. c5
Bertoff, E. 229, 245
Beynon, L.M. 219
Bienaymé, H. 267
Bizzozero, N. 65
Brillouet, J.-M. 159
Bundle, D.R. 13

Chmielewski, M. 283
Comper, W.D. 193
Crossman, Jr., A. c9

D'Andrea, F. c5
Daeva, E.D. 301, 313
Defaye, J. 129
Delage, M.-M. 253
Demchenko, A.V. 77
Dolatshahi, N. 65

El Khadem, H.S. c9
El Sadek, M.M. 261

Fujikura, K. 25
Fujimoto, S. 201

Gadelle, A. 129
Gaudiosi, A. c5
Geoffroy, M. 65
Goto, M. 25
Greiner, J. 55
Gruenwedel, D.W. 37
Gubanova, N.Ya. 301, 307, 313
Gvozdyak, R.I. 295

Hasegawa, A. 277
Hatfield, R.D. 177
Hayasaka, E. 25

Ishida, H. 47, 277

Jain, R.K. c1
Jütten, P. 93

Kanters, J.A. 1
Kiso, M. 277
Kitajima, T. 47
Klimov, E.M. 77
Knirel, Ya.A. 295, 301, 307, 313
Kochetkov, N.K. 77
Kroon, J. 1
Kulshreshtha, D.K. 169

Locke, R.D. c1
López, M.G. 37
Lubineau, A. 267

Madhusudanan, K.P. 169
Malysheva, N.N. 77
Marcelin, O. 159
Matta, K.L. c1
Mostowicz, D. 283
Movilliat, F. 129
Murata, T. 289

Nagahama, T. 201
Nagahama, T. 277
Nakagawa, T. 119
Nardin, R. 129
Noel, T.R. 109

Ogawa, K. 289
Ohki, H. 277
Oxley, D. 187, 213

Pelikán, P. 273
Pérez, S. 253
Perry, M.B. 219
Piepersberg, W. 321
Plaček, J. 273

Richards, J.C. 219
Riess, J.G. 55
Ring, S.G. 109

Sachdev, K. 169
Saito, K.-i. 25
Sakakibara, T. 119
Sakurai, T. 47
Saulnier, L. 159
Scharf, H.-D. 93
Schürle, K. 321
Seta, A. 119
Setoguchi, S. 201
Shashkov, A.S. 295, 301, 307, 313
Šimkovic, I. 273
Solyanik, L.P. 295, 307, 313

Srivastava, R. 169
Sugai, K. 25
Suganuma, T. 201
Sugiyama, N. 25

Tomita, K. 25
Tronchet, J.M.J. 65

Usui, T. 289

Van Dijk, B. 1
Vinogradov, E.V. 295, 301, 307, 313

Werbitzky, O. 321
Whittam, M.A. 109
Wilkinson, S.G. 187, 213

Yakovleva, L.M. 301, 307, 313
Yamada, N. 25
Yamazaki, M. 47

Zagzoug, N.B. 261
Zakharova, I.Ya. 301
Zamparo, O. 193
Zdorovenko, G.M. 295, 301, 307, 313
Zegrocka, O. 283
Zsély, M. 65

SUBJECT INDEX

2-Acetamido-2-deoxy-3- α -D-galactopyranosyl-D-galactose, synthesis through a trifly group displacement, of, 267

N-Acetylneuraminate, sodium thermal and photochemical degradation of, 25

N-Acetylneurameric acid, methyl 2-thioglycoside of, facile, large-scale preparation, 277

Alfalfa-stem pectins: enzymic degradation and structural characterization of a buffer-soluble fraction, 177

Alpha-dextrins derived from amylopectin and their relation to the structure of waxy-maize starch, investigation of the fine structure of, 229

Amadori compounds, aromatic, synthesis of, 37

Amino- and nitro-heptoseptanosides obtained by cyclization of dialdehydes with nitromethane, structure and reactions of, 129

Aminocyclitols, use of the methyl ether as a protective group in the synthesis of, 321

Amylopectin, chains of intermediate lengths in waxy-maize, 245

Antigen from *Serratia marcescens*, structure of the O21, 187

Branched-chain monosaccharides, synthesis of three examples of a new class of, 283

Capsular polysaccharide from *Actinobacillus pleuropneumoniae* serotype 12, structural studies of the, 219

2-C-Carbamoyl-, 2-C-cyano-, and 2-C-acetamidoethyl-substituted glycosides, synthesis of, 283

Chains of intermediate lengths in waxy-maize amylopectin, 245

\alpha-D-galactopyranoside 4-(sodium sulphate) dihydrate, 1

2-Deoxy sugars, formation of enolate semiquinones during the alkaline oxidative degradation of, 273

D-Enzyme from sweet potato, analysis of its characteristic action in terms of subsite theory, 201

6,6'-Di-O-mycocolyl- β , β - and - α , β -trehalose, synthesis and biological activities, 47

Database of three-dimensional structures of monosaccharides from molecular-mechanics calculations, 253

Dialdehydes with nitromethane, structure and reactions of amino- and nitro-heptoseptanosides obtained by cyclization of dialdehydes with nitromethane, 129

Dihydrofuran derivatives by intramolecular substitution of the *manno* adducts formed by Michael reaction of a 1-O-acetyl-3-C-nitro-2-enopyranose derivative with 2,4-pentanedione and dibenzoylmethane, formation of, 119

Enolate semiquinones formed during the alkaline oxidative degradation of 2-deoxy sugars, 273

1,2-Ethylthio group migration, stereospecific, incidence and avoidance of, during the synthesis of ethyl 1-thio- α -L-rhamnopyranoside 2,3-orthoester, 13

Evernitrose, an improved synthesis of, 93

Extraction and characterisation of water-soluble pectic substances from guava (*Psidium guajava*, L.), 159

Fatty acid glycoside from *Ipomoea pescaprae*, structure (pescaprose E), 169

Fine structure of alpha-dextrins derived from amylopectin and their relation to the structure of waxy-maize starch, investigation of the, 229

Formation of dihydrofuran derivatives by intramolecular substitution of the *manno* adducts formed by Michael reaction of a 1-O-acetyl-3-C-nitro-2-enopyranose derivative with 2,4-pentanedione and dibenzoylmethane, 119

α -L-Fucp-(1 \rightarrow 2)- β -D-Galp-(1 \rightarrow 4)-D-GlcP, synthesis of, c1

2'-O-L-Fucplactose, synthesis of, c1

3-Furoylhydrazine, synthesis and reactions of 2-methyl-5-(D-arabino-tetrahydroxybutyl), 261

Galactopyranoside 4-(sodium sulphate) dihydrate, crystal and molecular structure of methyl α -D-, 1

β -D-Galp-(1 \rightarrow 3)-D-Galp, synthesis through a trifly group displacement of, 267

Glass-transition behaviour of maltose-water mixtures, kinetic aspects of the, 109

Glycosidic linkage, correlation with the magnitude of the hydrodynamic frictional coefficient of polysaccharides, 193

Glycosylation, a new stereospecific method for 1,2-cis, 77

Guava (*Psidium guajava* L.), extraction and characterisation of water-soluble pectic substances from, 159

Hydrodynamic frictional coefficient of polysaccharides, the role of the glycosidic linkage, 193

2-Hydroxyamino- α -D-arabino- and -lyxo-hexopyranosides, synthesis and properties of derivatives of methyl 2,3-dideoxy-, 65

Ipomoea pescaprae, structure of a fatty acid glycoside from (pescaproside E), 169

Kinetic aspects of the glass-transition behaviour of maltose-water mixtures, 109

Lactose, 2'-O-L-fucopyranosyl-, synthesis of, c1

Lipopolysaccharide of *Pseudomonas syringae* pv. *tabaci* 225 (serogroup VIII), structure of the O-specific polysaccharide chain, 307

Lipopolysaccharide of *Pseudomonas gladioli* pv. *alliicola* 8494 (serogroup X), structure of the O-specific polysaccharide chain, 313

Lipopolysaccharide of the reference strain (S3255) for a new serogroup of *Serratia marcescens*, structure of a mannan isolated from the, 213

Lipopolysaccharide, structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. *tabaci* 7591 (serogroup IX), structure of the O-specific polysaccharide chain, 301

Maltose-water mixtures, kinetic aspects of the glass-transition behaviour of, 109

Maltotetraose-forming, amylase-mediated, *p*-nitrophenyl α - and β -maltoctaose formation in an aqueous-organic solvent system: a substrate for human serum, 289

Mannan isolated from the lipopolysaccharide of the reference strain (S3255) for a new serogroup of *Serratia marcescens*, structure of a, 213

2-Methyl-5-(D-arabino-tetrahydroxybutyl)-3-furylhydrazine, synthesis and reactions of, 261

Methyl 2,3-dideoxy-2-hydroxyamino- α -D-arabino- and -lyxo-hexopyranosides, synthesis and properties of derivatives of, 65

Methyl ether as a protective group in the synthesis of aminocyclitols, use of the, 321

Methyl α -D-galactopyranoside 4-(sodium sulphate) dihydrate, crystal and molecular structure of, 1

Methyl 2-thioglycoside of *N*-acetylneuraminic acid, facile, large-scale preparation, 277

Michael reaction of a, 1-O-acetyl-3-C-nitro-2-enopyranose derivative with 2,4-pentanedione and dibenzoylmethane, formation of dihydrofuran derivatives by intramolecular substitution of the *manno* adducts formed by, 119

Migration, stereospecific, 1,2-ethylthio group, during the synthesis of ethyl 1-thio- α -L-rhamnopyranoside 2,3-orthoester, incidence and avoidance of, 13

Molecular-mechanics calculations, database of three-dimensional structures of monosaccharides from, 253

Neuraminic, *N*-acetyl-, sodium, thermal and photochemical degradation of, 25

Oxidative degradation of 2-deoxy sugars, enolate semiquinones formed during the alkaline, 273

Pectic substances from guava (*Psidium guajava* L.), extraction and characterisation of water-soluble, 159

Pectins, alfalfa-stem, enzymic degradation and structural characterization, 177

6-Perfluoroalkylalkanoates of trehalose and sucrose, one-step preparation for biomedical uses, 55

Peroxidation of saccharide phenylhydrazone, c9

Pescaproside E, a fatty acid glycoside from *Ipomoea pescaprae*, structure, 169

Phenylhydrazone, peroxidation of saccharide, c9

Polysaccharide, the capsular, from *Actinobacillus pleuropneumoniae* serotype 12, 219

Polysaccharides, the role of the glycosidic linkage in determining the hydrodynamic frictional coefficient of, 193

Preparation of 6-perfluoroalkylalkanoates of trehalose and sucrose for biomedical uses, one-step, 55

Pseudomonas gladioli pv. *alliicola* 8494 (serogroup X) lipopolysaccharide, structure of the O-specific polysaccharide chain of, 313

Pseudomonas syringae pv. *lachrymans* 7591 (serogroup IX) lipopolysaccharide structure of the O-specific polysaccharide chain of, 301

Pseudomonas syringae pv. *tabaci* 225 (serogroup VIII) lipopolysaccharide structure of the O-specific polysaccharide chain of, 307

Saccharide phenylhydrazones, peroxidation of, c9

Serratia marcescens, structure of a mannan isolated from the lipopolysaccharide of the reference strain (S3255) for a new serogroup of, 213

Serratia marcescens, structure of the O21 antigen from, 187

Sodium *N*-acetylneuramate, thermal and photochemical degradation of, 25

L-Sorbal (2,6-anhydro-3-deoxy-L-threo-hex-2-enitol) and L-tagatose, synthesis from D-galactose, c5

Starch, investigation of the fine structure of alpha-dextrins derived from amylopectin and their relation to the structure of waxy-maize, 229

Stereospecific method for 1,2-cis-glycosylation, a new, 77

Structure and reactions of amino- and nitro-heptoseptanosides obtained by cyclization of dialdehydes with nitromethane, 129

Structures of monosaccharides from molecular-mechanics calculations, database of three-dimensional, 253

Structure of the O21-antigen from *Serratia marcescens*, 187

Structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. *lachrymans* 7591 (serogroup IX) lipopolysaccharide, 301

Structure of the O-specific polysaccharide chain of *Pseudomonas gladioli* pv. *alliicola* 8494 (serogroup X) lipopolysaccharide, 313

Structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. *tabaci* 225 (serogroup VIII) lipopolysaccharide, 307

Structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. *syringae* (*cerasi*) 435 lipopolysaccharide, 295

Sweet potato, D-enzyme from, analysis of its characteristic action, 201

Synthesis and properties of derivatives of methyl 2,3-dideoxy-2-hydroxyamino- α -arabin- and -lyxo-hexopyranosides, 65

Synthesis and reaction of 2-methyl-5-(D-arabinotetrahydroxybutyl)-3-furoylhydrazine, 261

Synthesis of aminocyclitols, use of the methyl ether as a protective group in the, 321

Synthesis of 2,6-anhydro-3-deoxy-L-threo-hex-2-enitol ('L-sorbal') and of L-tagatose from D-galactose, c5

Synthesis of aromatic Amadori compounds, 37

Synthesis of 2-C-carbamoyl-, 2-C-cyano-, and 2-C-acetamidomethyl-substituted glycosides, 283

Synthesis of evernitrose, an improved, 93

L-Tagatose and 'L-sorbal' (2,6-anhydro-3-deoxy-L-threo-hex-2-enitol), synthesis from D-galactose, c5

Trehalose and sucrose, one-step preparation of 6-perfluoroalkylalkanoates for miomedical uses, 55

Trehalose, 6,6'-di-O-mycoloyl- β , β - and - α , β -, synthesis and biological activities, 47

Trifluoromethylsulfonyl group displacement, synthesis of β -D-Galp-(1 \rightarrow 3)-D-Galp through, 267

Waxy-maize amylopectin, chains of intermediate lengths in, 245